

Ion transport assay of SzRs in E. coli cells

Masae Konno Keiichi Inoue* Hideki Kandori*

Updated date: Jan 31, 2021

*For correspondence: masaek@issp.u-tokyo.ac.jp, kandori@nitech.ac.jp



An abbreviated version of this protocol was published in Science Advances in Apr 2020

Schizorhodopsins: A family of rhodopsins from Asgard archaea that function as light-driven inward H⁺ pumps

DOI: 10.1126/sciadv.aaz2441

Related files



Bio-protocol_ion_transport_assay.pdf



How to cite: (Readers should cite both the Bio-protocol preprint and the original research article where this protocol was used)

1. Konno, M., Inoue, K. and Kandori, H. (2021). Ion transport assay of SzRs in E. coli cells. Bio-protocol Preprint. bio-protocol.org/prep800.
2. Inoue, K., Tsunoda, S. P., Singh, M., Tomida, S., Hososhima, S., Konno, M., Nakamura, R., Watanabe, H., Bulzu, P., Banciu, H. L., Andrei, A., Uchihashi, T., Ghai, R., Béjà, O. and Kandori, H. (2020). Schizorhodopsins: A family of rhodopsins from Asgard archaea that function as light-driven inward H⁺ pumps. Science Advances 6(15). DOI: [10.1126/sciadv.aaz2441](https://doi.org/10.1126/sciadv.aaz2441)

Copyright: Content may be subjected to copyright.